Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	36	prevent\$5 near5 (network near3 inject\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/01 13:43
S2	3	S1 and (tcp near4 connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 16:48
S3	253	prevent\$5 near5 (network near3 attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:12
S4	21	S3 and tcp and ack and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:57
S5	2	(prevent\$5 near5 (network near3 attack)) and (dummy adj3 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:13
S6	0	(prevent\$5 near5 (network near3 attack)) and (dummy adj3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:13
S7	1	(prevent\$5 near5 (network near3 attack)) and (fake adj3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:23
S8	9	creat\$5 near10 (dummy adj2 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:25
S9	15	creat\$5 near10 (dummy adj2 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:25

_						
S10	15	S9 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:25
S11	4	S4 and ((discard\$5 or drop\$5) near5 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 10:44
S12	1	S4 and ((clear\$5 or flush\$5) near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:38
S13	2	"20030236995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:35
S14	4	S4 and (window near3 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:47
S15	65	(unacknowledged near3 (sequence adj2 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 17:48
S16	10	S15 and (maximum near5 (window adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:10
S17	0	(network adj3 snooping) and (maximum near5 (window adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:10
S18	8	(snooping) and (maximum near5 (window adj1 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:10
S19	12	snooping and ((discard\$5 or drop\$5) near5 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:57

			_			
S20	6	S19 and tcp and ack and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 18:59
S21	0	(intrud\$6 near10 (tcp near5 handshake)) and tcp and ack and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 19:00
S22	0	(intrud\$6 near10 (tcp near5 connection)) and tcp and ack and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 19:00
S23	9	(intrud\$6 near10 (tcp near5 connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 19:00
S24	0	(intrud\$6 near10 (tcp near5 connection)) and (discard\$5 or drop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 10:37
S25	725	(tcp adj1 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 10:43
S26	83	S25 and ((discard\$5 or drop\$5) near5 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 11:08
S27	32	S26 and ((check\$5 or compar\$5) near7 sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 11:01
S28	0	S25 and ((check\$5 or determin\$5) near10 (authenticity adj3 segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 11:02
S29	0	S25 and ((check\$5 or determin\$5) near10 (authenticat\$5 adj3 segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 11:03

			_			
S30	16	S25 and ((check\$5 or determin\$5) near10 ((validat\$5 or verif\$4) adj3 segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 11:04
S31	3	S26 and (prevent\$5 near8 dos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:57
S32	382	(inject\$5 near5 attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:57
S33	3	S32 and (tcp near5 segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:02
S34	8	S32 and (tcp near5 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:03
S35	5	S34 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:39
S36	2	"20020145976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:40
S37	2	"20030191844"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:41
538	2	"20040052234"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:46
S39	2	"5858022".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:46

S40	2	"5857022".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:47
S41	3	"6219634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:06
S42	5	(empty with (retransmission adj1 buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:24
S43	2	"20020145976"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:19
S44		"20030191844"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 13:19
S45	1	(empty with (retransmission adj1 buffer)) and (corrective adj1 acknowledgement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 14:28
S46	. 8	((when or if or whether) with (buffer near5 (clear or empty))) same retransmi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:01
S47	0	((when or if or whether) with ((retransmi\$5 adj1 buffer) near5 (clear or empty))) same ack\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/08/02 15:02
S48	0	((when or if or whether) with ((retransmi\$5 adj1 buffer) near8 (clear or empty))) same ack\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:02
S49	0	((when or if or whether or unless) with ((retransmi\$5 adj1 buffer) near8 (clear or empty))) same ack\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 15:02